

Ch	Ad	Position	U#	Purpose	Clr	Instrument Type & Accessory & Load	
(1)		CAT D BOT	1	BACKLIGHT		Chauvet COLORado 2 Quad Zoom VW Tour+Light Acc C Clamp 170w	
(2)		CAT D BOT	2	BACKLIGHT		Chauvet COLORado 2 Quad Zoom VW Tour+Light Acc C Clamp 170w	
(3)		MEZZ BOT	3	BACKLIGHT		Chauvet COLORado 2 Quad Zoom VW Tour+Light Acc C Clamp 170w	
(4)		MEZZ BOT	1	BACKLIGHT		Chauvet COLORado 2 Quad Zoom VW Tour+Light Acc C Clamp 170w	
(5)		MEZZ BOT	2	BACKLIGHT		Chauvet COLORado 2 Quad Zoom VW Tour+Light Acc C Clamp 170w	
(6)		CAT A BOT	3	BACKLIGHT		Chauvet COLORado 2 Quad Zoom VW Tour+Light Acc C Clamp 170w	
(7)		ADD PIPE	2	BACKLIGHT		Chauvet COLORado 2 Quad Zoom VW Tour+Light Acc C Clamp 170w	
(8)		ADD PIPE	5	BACKLIGHT		Chauvet COLORado 2 Quad Zoom VW Tour+Light Acc C Clamp 170w	
(9)		ADD PIPE	8	BACKLIGHT		Chauvet COLORado 2 Quad Zoom VW Tour+Light Acc C Clamp 170w	
(		ADD PIPE	11	BACKLIGHT		Chauvet COLORado 2 Quad Zoom VW Tour+Light Acc C Clamp 170w	
(		ADD PIPE	14	BACKLIGHT		Chauvet COLORado 2 Quad Zoom VW Tour+Light Acc C Clamp 170w	
(		ADD PIPE	17	BACKLIGHT		Chauvet COLORado 2 Quad Zoom VW Tour+Light Acc C Clamp 170w	
(		ADD PIPE	13	BACKLIGHT		Chauvet COLORado 2 Quad Zoom VW Tour+Light Acc C Clamp 170w	
(		CAT D BOT	5	BACKLIGHT		Chauvet COLORado 2 Quad Zoom VW Tour+Light Acc C Clamp 170w	
(		CAT C TOP	17	BACKLIGHT		Chauvet COLORado 2 Quad Zoom VW Tour+Light Acc C Clamp 170w	
(		CAT C TOP	2	BACKLIGHT		Chauvet COLORado 2 Quad Zoom VW Tour+Light Acc C Clamp 170w	
(		CAT A BOT	12	BACKLIGHT		Chauvet COLORado 2 Quad Zoom VW Tour+Light Acc C Clamp 170w	
(		ADD PIPE	5	BACKLIGHT		Chauvet COLORado 2 Quad Zoom VW Tour+Light Acc C Clamp 170w	
(		CAT E BOT	2	FRONTLIGHT		ETC Source4 26deg 750W+Light Acc C Clamp 750w	
(		CAT E BOT	5	FRONTLIGHT		ETC Source4 26deg 750W+Light Acc C Clamp 750w	
(		CAT C TOP	10	FRONTLIGHT		ETC Source4 26deg 750W+Light Acc C Clamp 750w	
(		CAT C TOP	8	FRONTLIGHT		ETC Source4 26deg 750W+Light Acc C Clamp 750w	
(		CAT B BOT	19	FRONTLIGHT		ETC Source4 26deg 750W+Light Acc C Clamp 750w	
(		CAT B BOT	2	FRONTLIGHT		ETC Source4 26deg 750W+Light Acc C Clamp 750w	
(		CAT E BOT	14	FRONTLIGHT		ETC Source4 26deg 750W+Light Acc C Clamp 750w	
(		CAT E BOT	6	FRONTLIGHT		ETC Source4 26deg 750W+Light Acc C Clamp 750w	
(		CAT E BOT	7	FRONTLIGHT		ETC Source4 26deg 750W+Light Acc C Clamp 750w	
(		CAT B BOT	17	FRONTLIGHT		ETC Source4 26deg 750W+Light Acc C Clamp 750w	
(		CAT B BOT	18	FRONTLIGHT		ETC Source4 26deg 750W+Light Acc C Clamp 750w	
(		CAT B BOT	5	FRONTLIGHT		ETC Source4 26deg 750W+Light Acc C Clamp 750w	
(		CAT E BOT	12	FRONTLIGHT		ETC Source4 26deg 750W+Light Acc C Clamp 750w	
(		CAT E BOT	11	FRONTLIGHT		ETC Source4 26deg 750W+Light Acc C Clamp 750w	
(		CAT E BOT	9	FRONTLIGHT		ETC Source4 26deg 750W+Light Acc C Clamp 750w	
(		CAT B BOT	15	FRONTLIGHT		ETC Source4 26deg 750W+Light Acc C Clamp 750w	
(		CAT B BOT	12	FRONTLIGHT		ETC Source4 26deg 750W+Light Acc C Clamp 750w	
(		CAT B BOT	11	FRONTLIGHT		ETC Source4 26deg 750W+Light Acc C Clamp 750w	
(		MEZZ BOT	10	FRONTLIGHT FILL		ETC Source4 26deg 750W 750w	
(		MEZZ BOT	4	SL HI SIDE		ETC Source 4 LEDLS 36deg+Light Acc C Clamp 117w	
(		MEZZ BOT	6	SL HI SIDE		ETC Source 4 LEDLS 36deg+Light Acc C Clamp 117w	

Ch	Ad	Position	U#	Purpose	Clr	Instrument Type & Accessory & Load	
(		SL boom 3	5	SL HI SIDE		ETC Source 4 LEDLS 50deg+Light Acc C Clamp 117w	
(		CAT A BOT	7	SL HI SIDE		ETC Source 4 LEDLS 36deg+Light Acc C Clamp 117w	
(		MEZZ BOT	7	SL HI SIDE		ETC Source 4 LEDLS 36deg+Light Acc C Clamp 117w	
(		SL boom 2	4	SL HI SIDE		ETC Source 4 LEDLS 50deg+Light Acc C Clamp 117w	
(		CAT B BOT	4	SL HI SIDE		ETC Source 4 LEDLS 36deg+Light Acc C Clamp 117w	
(		MEZZ BOT	8	SL HI SIDE		ETC Source 4 LEDLS 36deg+Light Acc C Clamp 117w	
(		SL boom 1	5	SL HI SIDE		ETC Source 4 LEDLS 50deg+Light Acc C Clamp 117w	
(		SR boom 3	4	SR HI SIDE		ETC Source 4 LEDLS 50deg+Light Acc C Clamp 117w	
(		MEZZ BOT	19	SR HI SIDE		ETC Source 4 LEDLS 36deg+Light Acc C Clamp 117w	
(		MEZZ BOT	14	SR HI SIDE		ETC Source 4 LEDLS 36deg+Light Acc C Clamp 117w	
(		SR boom 2	5	SR HI SIDE		ETC Source 4 LEDLS 50deg+Light Acc C Clamp 117w	
(		MEZZ BOT	18	SR HI SIDE		ETC Source 4 LEDLS 36deg+Light Acc C Clamp 117w	
(		MEZZ BOT	11	SR HI SIDE		ETC Source 4 LEDLS 36deg+Light Acc C Clamp 117w	
(		SR boom 1	4	SR HI SIDE		ETC Source 4 LEDLS 50deg+Light Acc C Clamp 117w	
(		MEZZ BOT	17	SR HI SIDE		ETC Source 4 LEDLS 36deg+Light Acc C Clamp 117w	
(		CAT E BOT	15	SR HI SIDE		ETC Source 4 LEDLS 36deg+Light Acc C Clamp 117w	
(		ADD PIPE	3	ORG TEXTURE		ETC Source4 36deg 750W 750w	
(		ADD PIPE	6	ORG TEXTURE		ETC Source4 36deg 750W 750w	
(		CAT D BOT	9	ORG TEXTURE		ETC Source4 36deg 750W 750w	
(		ADD PIPE	12	ORG TEXTURE		ETC Source4 36deg 750W 750w	
(		ADD PIPE	15	ORG TEXTURE		ETC Source4 36deg 750W 750w	
(		ADD PIPE	18	ORG TEXTURE		ETC Source4 36deg 750W 750w	
(		ADD PIPE	7	ORG TEXTURE		ETC Source4 36deg 750W 750w	
(		CAT D BOT	4	ORG TEXTURE		ETC Source4 36deg 750W 750w	
(		CAT C TOP	18	ORG TEXTURE		ETC Source4 36deg 750W 750w	
(		CAT C TOP	3	ORG TEXTURE		ETC Source4 36deg 750W 750w	
(		ADD PIPE	11	ORG TEXTURE		ETC Source4 36deg 750W 750w	
(		ADD PIPE	6	ORG TEXTURE		ETC Source4 36deg 750W 750w	
(		CAT E BOT	3	ORG TEXTURE		ETC Source4 36deg 750W 750w	
(		CAT C TOP	13	ORG TEXTURE		ETC Source4 36deg 750W 750w	
(		CAT C TOP	11	ORG TEXTURE		ETC Source4 36deg 750W 750w	
(		CAT C TOP	6	ORG TEXTURE		ETC Source4 36deg 750W 750w	
(		CAT B BOT	20	ORG TEXTURE		ETC Source4 36deg 750W 750w	
(		CAT B BOT	3	ORG TEXTURE		ETC Source4 36deg 750W 750w	
(		ADD PIPE	1	ANG TEXTURE		ETC Source4 36deg 750W 750w	
(		ADD PIPE	4	ANG TEXTURE		ETC Source4 36deg 750W 750w	
(		ADD PIPE	7	ANG TEXTURE		ETC Source4 36deg 750W 750w	
(		CAT A BOT	10	ANG TEXTURE		ETC Source4 36deg 750W 750w	
(		ADD PIPE	13	ANG TEXTURE		ETC Source4 36deg 750W 750w	

Ch	Ad	Position	U#	Purpose	Clr	Instrument Type & Accessory & Load	
(		ADD PIPE	16	ANG TEXTURE		ETC Source4 36deg 750W 750w	
(		ADD PIPE	12	ANG TEXTURE		ETC Source4 36deg 750W 750w	
(		ADD PIPE	6	ANG TEXTURE		ETC Source4 36deg 750W 750w	
(		CAT C TOP	15	ANG TEXTURE		ETC Source4 36deg 750W 750w	
(		CAT C TOP	1	ANG TEXTURE		ETC Source4 36deg 750W 750w	
(		CAT A BOT	13	ANG TEXTURE		ETC Source4 36deg 750W 750w	
(		ADD PIPE	10	ANG TEXTURE		ETC Source4 36deg 750W 750w	
(		CAT E BOT	1	ANG TEXTURE		ETC Source4 36deg 750W 750w	
(		CAT E BOT	4	ANG TEXTURE		ETC Source4 36deg 750W 750w	
(		CAT C TOP	12	ANG TEXTURE		ETC Source4 36deg 750W 750w	
(		CAT C TOP	7	ANG TEXTURE		ETC Source4 36deg 750W 750w	
(		CAT C TOP	5	ANG TEXTURE		ETC Source4 36deg 750W 750w	
(		CAT B BOT	1	ANG TEXTURE		ETC Source4 36deg 750W 750w	
(101)		SR boom 1	1	SHINS		Altman Phoneix LED 50 deg 250w	
(102)		SR boom 2	1	SHINS		Altman Phoneix LED 50 deg 250w	
(103)		SR boom 3	1	SHINS		Altman Phoneix LED 50 deg 250w	
(104)		SL boom 1	1	SHINS		Altman Phoneix LED 50 deg 250w	
(105)		SL boom 2	1	SHINS		Altman Phoneix LED 50 deg 250w	
(106)		SL boom 3	1	SHINS		Altman Phoneix LED 50 deg 250w	
(110)		SR ROVER	1	blood special		ETC Source 4 50deg 750 W 750w	
(111)		SL ROVER	1	blood special		ETC Source 4 50deg 750 W 750w	
(112)		UMEZZ US PIPE	1	blood special		ETC Source 4 50deg 750 W 750w	
(113)		UMEZZ US PIPE	2	blood special		ETC Source 4 50deg 750 W 750w	
(121)		SR boom 1	2	MIDS		ETC Source 4 36deg 750 W 750w	
(122)		SR boom 2	3	MIDS		ETC Source 4 36deg 750 W 750w	
(123)		SR boom 3	2	MIDS		ETC Source 4 36deg 750 W 750w	
(124)		SL boom 1	3	MIDS		ETC Source 4 36deg 750 W 750w	
(125)		SL boom 2	2	MIDS		ETC Source 4 36deg 750 W 750w	
(126)		SL boom 3	3	MIDS		ETC Source 4 36deg 750 W 750w	
(131)		SR boom 1	3	HEADS		Altman Phoneix LED 50 deg 250w	
(132)		SR boom 2	4	HEADS		Altman Phoneix LED 50 deg 250w	
(133)		SR boom 3	3	HEADS		Altman Phoneix LED 50 deg 250w	
(134)		SL boom 1	4	HEADS		Altman Phoneix LED 50 deg 250w	
(135)		SL boom 2	3	HEADS		Altman Phoneix LED 50 deg 250w	
(136)		SL boom 3	4	HEADS		Altman Phoneix LED 50 deg 250w	
(140)		BOLTED TO UMEZZ	1	FLAT SCRAPERS		ChromaQ Colorforce II 72 800w	
(141)		MEZZ BOT	1	FLAT SCRAPERS		ChromaQ Colorforce II 72 800w	
(142)		MEZZ BOT	2	FLAT SCRAPERS		ChromaQ Colorforce II 72 800w	
(143)		MEZZ BOT	3	FLAT SCRAPERS		ChromaQ Colorforce II 72 800w	

Ch	Ad	Position	U#	Purpose	Clr	Instrument Type & Accessory & Load	
(144)		MEZZ BOT	4	FLAT SCRAPERS		ChromaQ Colorforce II 72 800w	
(145)		BOLTED TO UMEZZ	2	FLAT SCRAPERS		ChromaQ Colorforce II 72 800w	
(146)		BOLTED TO UMEZZ	14	FLAT SCRAPERS		ChromaQ Colorforce II 12+Light Acc C-Clamp 135w	
(147)		BOLTED TO UMEZZ	15	FLAT SCRAPERS		ChromaQ Colorforce II 12+Light Acc C-Clamp 135w	
(148)		BOLTED TO UMEZZ	16	FLAT SCRAPERS		ChromaQ Colorforce II 12+Light Acc C-Clamp 135w	
(149)		BOLTED TO UMEZZ	3	FLAT SCRAPERS		ChromaQ Colorforce II 12+Light Acc C-Clamp 135w	
(150)		BOLTED TO UMEZZ	4	FLAT SCRAPERS		ChromaQ Colorforce II 12+Light Acc C-Clamp 135w	
(151)		BOLTED TO UMEZZ	5	FLAT SCRAPERS		ChromaQ Colorforce II 12+Light Acc C-Clamp 135w	
(152)		BOLTED TO UMEZZ	11	FLAT SCRAPERS		ChromaQ Colorforce II 12+Light Acc C-Clamp 135w	
(153)		BOLTED TO UMEZZ	12	FLAT SCRAPERS		ChromaQ Colorforce II 12+Light Acc C-Clamp 135w	
(154)		BOLTED TO UMEZZ	13	FLAT SCRAPERS		ChromaQ Colorforce II 12+Light Acc C-Clamp 135w	
(155)		BOLTED TO UMEZZ	6	FLAT SCRAPERS		ChromaQ Colorforce II 12+Light Acc C-Clamp 135w	
(156)		BOLTED TO UMEZZ	7	FLAT SCRAPERS		ChromaQ Colorforce II 12+Light Acc C-Clamp 135w	
(157)		BOLTED TO UMEZZ	8	FLAT SCRAPERS		ChromaQ Colorforce II 12+Light Acc C-Clamp 135w	
(158)		BOLTED TO UMEZZ	10	FLAT SCRAPERS		ChromaQ Colorforce II 48 533w	
(159)		BOLTED TO UMEZZ	9	FLAT SCRAPERS		ChromaQ Colorforce II 48 533w	
(160)		CAT C TOP	9	Auto Iris Special		ETC Source4 26deg 750W 750w	
(161)		SL boom 1	2	POOL EFFECTS		ETC Source4 36deg 750W+Light Acc C Clamp 750w	
(162)		SL boom 3	2	POOL EFFECTS		ETC Source 4 50deg 750 W+Light Acc C Clamp 750w	
(163)		SR boom 2	2	POOL EFFECTS		ETC Source4 26deg 750W+Light Acc C Clamp 750w	
(164)		CAT B BOT	13	POOL FRONT		ETC Source4 26deg 750W 750w	
(165)		CAT B BOT	14	POOL FRONT		ETC Source4 26deg 750W 750w	
(166)		CAT E BOT	10	POOL FRONT		ETC Source4 26deg 750W 750w	
(167)		MEZZ TOP	5	POOL SPECIAL		ETC Source4 36deg 750W 750w	
(168)		MEZZ TOP	20	POOL SPECIAL		ETC Source4 36deg 750W 750w	
(170)		CAT D BOT	8	WT SPECIAL		ETC Source4 26deg 750W+Light Acc C-Clamp 750w	
(171)		MEZZ BOT		WT SPECIAL		ETC Source4 26deg 750W+Light Acc C-Clamp 750w	
(175)		BOLTED TO CAT	1	WT SPECIALS		USITT PAR MR-16 Birdie-XWFL 50w	
(176)		BOLTED TO CAT	2	WT SPECIALS		USITT PAR MR-16 Birdie-XWFL 50w	
(177)		BOLTED TO CAT	4	WT SPECIALS		USITT PAR MR-16 Birdie-XWFL 50w	
(178)		BOLTED TO CAT	3	WT SPECIALS		USITT PAR MR-16 Birdie-XWFL 50w	
(180)		MEZZ BOT	15	FRONTLIGHT FILL		ETC Source4 36deg 750W 750w	
		"	16	"		ETC Source4 26deg 750W 750w	
(181)		MEZZ BOT	13	FRONTLIGHT FILL		ETC Source4 36deg 750W 750w	
		"	14	"		ETC Source4 26deg 750W 750w	
(182)		MEZZ BOT	11	FRONTLIGHT FILL		ETC Source4 36deg 750W 750w	
(183)		MEZZ BOT	9	FRONTLIGHT FILL		ETC Source4 36deg 750W 750w	
(191)		CAT D BOT	10	STREETLIGHT		ETC Source 4 19deg 750 W 750w	
(192)		CAT D BOT	9	STREETLIGHT		ETC Source 4 19deg 750 W 750w	

Ch	Ad	Position	U#	Purpose	Clr	Instrument Type & Accessory & Load	
(193)		CAT C TOP	14	STREETLIGHT		ETC Source 4 19deg 750 W 750w	
(194)		CAT C TOP	16	STREETLIGHT		ETC Source 4 19deg 750 W 750w	
(195)		CAT C TOP	4	STREETLIGHT		ETC Source 4 19deg 750 W 750w	
(196)		CAT A BOT	9	STREETLIGHT		ETC Source 4 19deg 750 W 750w	
(197)		CAT A BOT	8	STREETLIGHT		ETC Source 4 19deg 750 W 750w	
(199)		UMEZZ DS PIPE	1	FLICKER SPECIAL		Altman Phoneix LED 19 deg 250w	
(200)		CAT E BOT	13	HOUSE LX		ETC Source 4 PARNel+Light Acc C-Clamp 750w	
(201)		CAT E BOT	8	HOUSE LX		ETC Source 4 PARNel+Light Acc C-Clamp 750w	
(202)		CAT E BOT	16	HOUSE LX		ETC Source 4 PARNel+Light Acc C-Clamp 750w	
(203)		CAT E BOT	6	HOUSE LX		ETC Source 4 PARNel+Light Acc C-Clamp 750w	
(1822)		MEZZ BOT	12	FRONTLIGHT FILL		ETC Source4 26deg 750W 750w	